ADONIS ™

ClickView

Professional High-Speed

Wireless AV Presenter

ClickView

Professional High-Speed **Wireless AV Presenter**

ClickView is a wireless Presentation system that transmits Audio and Video wirelessly to the Display Devices. ClickView captures from Mobile Phones, Tablets, Notebooks, Desktops and transmits to Display devices wirelessly in real time. It's easy and convenient to use, Plug and Play. Requires no wiring thereby improving installation and operation.

ADONIS ™

Highlights and Features

No Wires Required

Compatible with multiple Devices and Multiple Platforms

Plug & Play

2.4 g + 5.8g intelligent Dual-Band transmission

Lossless Signal Transmission up to 35m

HDMI Port 1.4 Version

Supports signals up to Full High Definition Resolutions

Applications

Wireless Presentations

Wireless Switching Applications

Video Conferencing Applications

Auditoriums, Meeting Rooms, Board Rooms

Conference Hall, Seminar Halls, Theatres

Classroom Applications

ClickView
as Switcher

ADONIS ™

ClickView
as Multi Device Viewer

Display

ClickView

Android

iOS

Windows
Notebook

Mac
Notebook

ClickView
as Multi Screen Viewer

Display

ClickView

Screen 1

Screen 2

Screen 3

Screen 4

ADONIS ™

Specifications

INTERFACE	
Receiver	HDMI Type A / USB 3.0 / USB 2.0 / 3.5mm Audio / RJ-45
Button	USB Type A
OPERATING SYSTEM COMPATIBILITY	
Windows	Windows7/Windows 8/ Windows 8.1/ Windows 10
Mac OS	Mac OSX 10.6/10.7/10.8/10.9
MOBILE PLATFORM COMPATIBILITY	
Android	Android 5.0 and above
iOS	iOS 9.0 and above
WIRELESS TRANSMISSION	
Protocols	802.11 b/g/n, Airplay and Custom Protocols
Transmission Bandwidth	300 Mbps
Transmission Distance	40m
Number of Users	30
Resolutions	1024*768 to 1920*1080
ENVIRONMENTAL	
Temperature Range	Operating: +5° C to +40° C Storage: -20° C to +60° C
Humidity Range	Operating: 0 to 85% Relative Humidity, No Condensation Storage: 0 to 90% Relative Humidity, No Condensation
ELECTRICAL & PHYSICAL	
Power	AC 100-220V
Dimensions (Receiver)	243mm x 114mm x 194mm (Including Antenna)
Weight	760g (Receiver), 108g (Transmitter)

Models

AWP 101	AWP302	AWP404
FULL HD Output	FULL HD Output	FULL HD Output
1x button included	3x button included	4x button included
1 User on Screen	2 Users on Screen	4 Users on Screen
Up to 20 users Connected	Up to 20 users Connected	Up to 30 users Connected
Interactivity (Annotation)	Interactivity (Annotation)	Interactivity (Annotation)
Antenna x2	Antenna x2	Antenna x2

ADONIS ™

ADONIS **AV** ™